

F1G. 1







FIG. 3




71G. 2






line = 4 dots wide by 10 dots high at resolution 2R



F1G. 0



always 1 (background)	data bit 2	data bit 3				
always 1 (background)	data bit 1	data bit 5				
always 1 (background)	data bit 0	data bit 4				

			0q 0q	09 09	09 09	09 O9	09 09	09 09	0q 0q	b4 b4	b4 b4	b4 b4	b4 b4	b4 b4	b4 b4	1
			Qq	pq	09	p0	p0	09	0q	5 4	b4	b4	4	b4	p4	
		***	20	q oq	9 09	q oq	q oq	q oq	po	b4	b4 b	b4 b	b4	b4 b	b4 b	3
- 8			-	b0 b1	b0 b1	b0 b1	b0 b1	b0 b1			b4 b5	b4 b5	b4 b5	b4 b5	b4 b5	L
	₩	₩	<u>5</u>	p1	b 1	b1	b1	b1	b1	92	p2	b5	92	99	p2	1
		\boxtimes	b1	b1.	b1	b1	b1	b1	b1	p5	p5	p2	92	9 q	p 5	4
			b1	p1	b1	p1	b1	b1	b1	b 5	p2	59	p5	9 9	p2	1
			P 1	p1	b1	b1	b1	b1	b1	p2	92	p2	p2	92	p2	1
		\otimes	10	b1	b1	b1	b1	b1	b1	92	p2	p5	p2	1 59	p2 1	,
				b1 k	b1 t	b1 t	b1 t	b1 k	_	_	1 2 1	1 Sd	p2	p2	p2	H
		***	<u> </u>	b2 b	b2 b	b2 b	b2 b	p2	q	Ω	b3 b	p3 b	р3 р	p3 p	b3 b	ŀ
	₩	$\overset{\circ\circ}{\otimes}$	62 b	p2 b	b2 b	b2 b	b2 b	b2 b	b2 b	p3 p	b3 b	b3 b	b3 b	p3 b	p3 b	
		$\overset{\infty}{\otimes}$	62 p	b2 b2	b2 b2	b2 b2	b2 b2	b2 b2	b2 b2	p3 p3	b3 b3	p3 p3	b3 b3	b3 b3	b3 b3	!
		***	b2 b2	2 b2	2 b2	2 b2	2 b2	2 b2	2 b2	3 b3	3 b3	3 b3	3 b3	3 b3	3 b3	Ľ
	₩	$\overset{\text{\top}}{ imes}$	5 p2	b2	b2	b2	b2	b2	b2	3 b3	s b3	3 b3	2 2 2	2 p3	3 b3	
			-	62	52	b2	b2	b2			b 3	p 3	23	p 3	p3	L

21 entries

constant 0

constant 1

bo data bit 0

b1 data bit 1

b2 data bit 2

b3 data bit 3

b4 data bit 4

b5 data bit 5

7/7